

Open GEODA

GIS Seminar Series
2012
Division of Spatial Information Science
University of Tsukuba
H.Malinda Siriwardana

Introduction



- The GeoDa Center for Geospatial Analysis and Computation
 - develops state-of-the-art methods for geospatial analysis,
 - geovisualization,
 - geosimulation
 - spatial process modeling
 - implements them through open source software tools
 - applies them to policy-relevant research in the social and environmental sciences
 - disseminates them through training and support to a growing worldwide community
- The GeoDa Center succeeds the Spatial Analysis Laboratory (SAL) which was founded by the School of Geographical Sciences and Urban Planning Director Luc Anselin
- <https://geodacenter.asu.edu> <https://geodacenter.asu.edu/software/documentation>

Product List

Name	Functionality	Images	Platform & Code	Language
OpenGeoDa	Introduction to Spatial Data Analysis: EDA, ESDA & ML Spatial Regression (List of features)		Cross-platform and open source	C++
PySAL	Open Source Library for Spatial Analysis: Weights, computational geometry, ESDA, spatial econometrics, clustering and spatial dynamics		Cross-platform, open source	Python
GeoDaSpace (Alpha)	Spatial econometrics (lag and error, endogenous variables, HAC, robust standard errors)		Cross-platform, code in PySAL 1.3	Python
GeoDaNet (Alpha)	Spatial point pattern analysis on networks		Cross-platform, code in PySAL 1.4	Python
R-Geo	Spatial weights, spatial econometrics, geostatistics, point pattern analysis		Cross-platform, open source	R

Design and Functionality

In broad terms, the functionality can be classified into six categories:

- Spatial data manipulation and utilities:
 - data input, output, and conversion
- Data transformation:
 - variable transformations and creation of new variables
- Mapping:
 - choropleth maps, cartogram and map animation
- EDA: statistical graphics
- Spatial autocorrelation:
 - global and local spatial autocorrelation statistics, with inference and visualization
- Spatial regression:
 - diagnostics and maximum likelihood estimation of linear spatial regression models

GeoDa Functionality Overview

Spatial Data

- Data input from shape file (point, polygon)
- Data input from text (to point or polygon shape)
- Data output to text (data or shape file)
- Create grid polygon shape file from text input
- Centroid computation
- Thiessen polygons

5

GeoDa Functionality Overview

Data Transformation

- Variable transformation (log, exp, etc.)
- Queries, dummy variables (regime variables)
- Variable algebra (addition, multiplication, etc.)
- Spatial lag variable construction
- Rate calculation and rate smoothing
- Data table join

6

GeoDa Functionality Overview

Mapping

- Generic quantile choropleth map
- Standard deviational map
- Percentile map
- Outlier map (box map)
- Circular cartogram
- Map movie
- Conditional maps
- Smoothed rate map (EB, spatial smoother)
- Excess rate map (standardized mortality rate, SMR)

7

GeoDa Functionality Overview

EDA histogram

- Box plot
- Scatter plot
- Parallel coordinate plot
- Three-dimensional scatter plot
- Conditional plot (histogram, box plot, scatter plot)

8

GeoDa Functionality Overview

Spatial Autocorrelation spatial weights creation (rook, queen, distance, k-nearest)

- Higher order spatial weights
- Spatial weights characteristics (connectedness histogram)
- Moran scatterplot with inference
- Bivariate Moran scatterplot with inference
- Moran scatterplot for rates (EB standardization)
- Local Moran significance map
- Local Moran cluster map
- Bivariate Local Moran
- Local Moran for rates (EB standardization)

9

GeoDa Functionality Overview

Spatial Regression

- OLS with diagnostics (e.g., LM test, Moran's I)
- Maximum Likelihood spatial lag model
- Maximum Likelihood spatial error model
- Predicted value map
- Residual map

10

Getting Started with GeoDa

- Objectives
- Starting a Project
- User Interface
- Practice

11

Getting Started with GeoDa

Objectives

- This illustrates how to get started with GeoDa, and the basic structure of its user interface
 - Open and Close a project
 - Load a shape file with the proper indicator (Key)

12

User Interface

- 9 Menu Items



13

Getting Started with GeoDa

- In GeoDa, only shape files can be read into a project at this point
- However, even if you don't have your data in the form of a shape file, you may be able to use the included spatial data manipulation tools to create one

14

Starting a Project

- Start GeoDa by
 - Double-clicking on its icon on the desktop
 - or run the GeoDa from the file manager
- A welcome screen will appear
- In the File Menu,
 - select Open Project
 - or click on the Open Project toolbar button
- After opening the project, the familiar Windows dialog requests the file name of a shape file and the Key variable
- The Key variable uniquely identifies each observation
- It is typically an integer value like a FIPS (Federal Information Processing Standard) code for counties, or a census tract number

15

Starting a Project

- Open / Close GeoDa
- Load a shape file with the proper indicator (Key)



T

16

Creating a Point Shape File

- Format a text file for input into GeoDa
- Create a point shape file from a text input file or dbf data file

17

Creating a Point Shape File

- Point Input File Format
 - The format for the input file to create a point shape file is very straightforward
 - The minimum contents of the input file are three variables: a unique identifier (integer value), the x-coordinate and the y-coordinate In a dbf format file, there are no further requirements

- Note that when latitude and longitude are included, the x-coordinate is the longitude and the y-coordinate the latitude

18

Creating a Point Shape File

- Point Input File Format
 - When the input is a text file, the three required variables must be entered in a separate row for each observation, and separated by a comma
 - In addition to the identifier and coordinates, the input file can also contain other variables
 - (The input file must also contain two header lines
 - The first includes the number of observations and the number of variables
 - The second a list of the variable names, Again, all items are separated by a comma)

19

Creating a Point Shape File

- Point Input File Format
 - Lets use - OZ9799 sample data set in the text file "oz9799.txt" (-> renamed as oz9799.csv)
 - This file includes monthly measures on ozone pollution taken at 30 monitoring stations in the Los Angeles basin

20

Creating a Point Shape File

- Point Input File Format



21

Creating a Polygon Shape File

- Create a polygon shape file from a text input file with the boundary coordinates
- Create a polygon shape file for a regular grid layout
- Join a data table to a shape file base map

22

Creating a Polygon Shape File

- Create a polygon shape file from a text input file with the boundary coordinates
- Create a polygon shape file for a regular grid layout
- Join a data table to a shape file base map

23


Creating a Polygon Shape File

- Boundary File Input Format
 - GeoDa currently supports one input file format for polygon boundary coordinates
 - While this is a limitation, in practice it is typically fairly straightforward to convert one format to another
 - The supported format consists of a header line containing the number of polygons and a unique polygon identifier, separated by a comma
 - For each polygon, its identifier and the number of points is listed, followed by the x and y coordinate pairs for each point (comma separated)

24

Creating a Polygon Shape File

- Boundary File Input Format - scottdistricts.txt



```

1 54,COODERO
2 6126,14
3 214031,375,841215,1875
4 218829,0,831090,0
5 217605,471875,830865,75
6 201844,0,818948,0
7 216426,0,803179,0
8 192446,0,807178,0
9 187949,546375,807454,3125
10 174840,0,814731,0
11 183258,0,824522,0
12 194413,0,820074,0
13 187946,0,824737,0
14 173213,0,827294,0
15 179122,0,832281,0
16 183963,0,836048,0
17 203306,0,844897,0
18 211204,0,840950,0
19 6016,13
20 383846,0,843842,0
21 388721,0,847464,0
22 409200,0,858927,0
  
```

25

Creating a Polygon Shape File

- In contrast to the procedure followed for point shape files
 - a two-step approach is taken here
 - First, a base map shape file is created
 - This file does not contain any data other than polygon identifiers, area and perimeter
 - In the second step, a data table must be joined to this shape file to add the variables of interest

26

Creating a Polygon Shape File

- Creating a Polygon Shape File for the Base Map



27

Creating a Polygon Shape File

- Joining a Data Table to the Base Map
 - In order to create a shape file for the Scottish districts that also contains the lip cancer data, a data table (dbf format) must be joined to the table for the base map
 - This is invoked using the Table menu with the Join Tables command

28

Creating a Polygon Shape File

- Joining a Data Table to the Base Map



29

Creating a Choropleth Map

- Make a simple choropleth map
- Select items in the map
- Change the selection tool

30

Creating a Choropleth Map

- Quantile Map
 - The SIDS data set in the sample collection is taken from Noel Cressie's (1993) Statistics for Spatial Data (Cressie 1993, pp. 386–389)
 - It contains variables for the count of SIDS deaths for 100 North Carolina counties in two time periods, here labeled SID74 and SID79
 - In addition, there are the count of births in each county (BIR74, BIR79) and a subset of this, the count of non-white births (NWBIR74, NWBIR79)

31

Creating a Choropleth Map

- Quantile Map
 - Consider constructing two quantile maps to compare the spatial distribution of non-white births and SIDS deaths in 74 (NWBIR74 and SID74)
 - Click on the base map to make it active
 - In the Map Menu, select Quantile
 - A dialog will appear, allowing the selection of the variable to be mapped

32

Creating a Choropleth Map

- Quantile Map – NWBIR74 and SID74
 - In the Variables Settings dialog, select NWBIR74 and click OK
 - After you choose the variable, a second dialog will ask for the number of categories in the quantile map: for now, keep the default value of 4 (quartile map) and click OK
 - A quartile map (four categories) will appear
 - Next, create a quartile map (4 categories) for the variable SID74

33

Creating a Choropleth Map

- Quantile Map
 - NWBIR74 and SID74



34


Creating a Choropleth Map

- Selecting and Linking Observations in the Map
 - The concept of dynamic maps implies that there are ways to select specific locations and to link the selection between maps
 - GeoDa includes several selection shapes, such as point, rectangle, polygon, circle and line

35

Creating a Choropleth Map

- Selecting and Linking Observations in the Map



36

- Source

- <https://geodacenter.asu.edu>
- <https://geodacenter.asu.edu/software/documentation>

37

Thank You!!!

38